



**ACERO SUECO PALME S.A.P.I.de C.V. y su red de sucursales en la República**

**CABLE DE ACERO " PALME " 6 x 19 - 6 x 25 - 6 x 26 - 6 x 36**

ACERO EIPS, PREFORMADO, ALMA DE ACERO ( AA ) ALMA DE FIBRA ( AF )

Diámetro		Resistencia a la ruptura en t				Peso aproximado kg/m	
		Acero negro		Galvanizado			
mm	pulgadas	Alma de fibra	Alma de acero	Alma de fibra	Alma de acero	A F	AA
3,18	1/8	0,63	0,69	0,63		0,04	0,04
4,76	3/16	1,40	1,43	1,40		0,08	0,10
6,35	1/4	2,73	3,08	2,73	3,08	0,16	0,17
7,94	5/16	4,25	4,78	4,25	4,78	0,24	0,27
9,53	3/8	6,08	6,85	6,08	6,85	0,35	0,39
11,11	7/16	8,25	9,25	8,25	9,25	0,48	0,52
12,70	1/2	10,70	12,10	10,70	12,10	0,63	0,68
14,30	9/16	13,50	15,20	13,50	15,20	0,79	0,88
15,90	5/8	16,60	18,70	16,60	18,70	0,98	1,07
19,05	3/4	23,80	26,70	23,80	26,70	1,41	1,55
22,23	7/8	32,10	36,10	32,10	36,10	1,92	2,11
25,40	1	41,70	46,90	41,70	46,90	2,50	2,75
28,60	1 1/8	52,40	59,00	52,40	59,00	3,17	3,48
31,75	1 1/4	64,50	72,50	64,50	72,50	3,91	4,30
34,93	1 3/8	77,60	87,10	77,60	87,10	4,73	5,21
38,10	1 1/2	91,60	103,00	91,60	103,00	5,63	6,19
41,27	1 5/8	107,00	120,00	107,00	120,00	6,61	7,26
44,45	1 3/4	124,00	139,00	124,00	139,00	7,66	8,44
47,62	1 7/8	142,00	158,00	142,00	158,00	8,80	9,67
50,80	2	160,00	180,00	160,00	180,00	10,00	11,00
53,98	2 1/8	179,00	200,00	179,00	200,00	11,30	12,40
57,15	2 1/4	200,00	224,00		224,00	12,70	13,90
60,33	2 3/8		249,00			13,50	15,50
63,50	2 1/2	221,00	274,00			15,60	17,30

Filler, preformado no engrasado AA especial para TIRFOR

mm	pulgadas	Resistencia a la ruptura t	Peso aprox. en kg/m
7,94	5/16	4,78	0,270
9,53	3/8	6,85	0,390
11,11	7/16	9,25	0,520
12,70	1/2	12,10	0,680
15,90	5/8	18,70	1,070

